

# US Tolerance Tracker

## December 31, 2018 Update

### Companies Summary

Please note that from the June 2017 update onwards, the **Pesticide Chemical News Guide (PCNG)** service has been renamed the **US Tolerance Tracker**.

Additionally, the hard-copy version of the PCNG has been superseded by the electronic version of the PCNG (US Tolerance Tracker) currently available in PDF format, and available for download from the Agrow Data section. Changes made to individual pages will be highlighted in the same way as previous updates, and the Update Summary and e-mail alert will remain.

Active ingredient	Requested by
<i>Bacillus thuringiensis</i> fusion protein Cry1Ab/Cry2Aj	Hangzhou Ruifeng Biosciences Co., Ltd., c/o GA Bannon Consulting LLC
6-benzyladenine	The Interregional Research Project No. 4 and Valent BioSciences LLC
Calcium formate	ADAMA Agan, Ltd., c/o Makhteshim Agan of North America
<i>Chrysodeixis includens</i> nucleopolyhedrovirus isolate #460	AgBi Tech Pty Ltd., c/o MacIntosh & Associates, Inc.
Clomazone	The Interregional Research Project No. 4
Clorate	ICA Trinova, Inc.
Florpyrauxifen-benzyl	Dow AgroSciences
Fluopyram	Bayer CropScience
Indaziflam	The Interregional Research Project No. 4
Inpyrfluxam	Valent U.S.A., LLC
Mefenoxam	The Interregional Research Project No. 4
Ningnanmycin	SePRO Corporation
Oxytetracycline	Geo Logic Corporation
Pendimethalin	The Interregional Research Project No. 4
Propamocarb	The Interregional Research Project No. 4
1-propanesulfonic acid, 2-methyl-2-[(1- oxo-2-propen-1-yl)amino]-, homopolymer, sodium salt and 1- propanesulfonic acid, 2-methyl-2-[(1- oxo-2-propen-1-yl)amino]-, homopolymer, sodium salt (1:1), homopolymer	BASF Corporation
Pyriofenone	ISK Biosciences Corporation
Tolfenpyrad	The Interregional Research Project No. 4

# US Tolerance Tracker


## Tolerances

Tolerances are established for residues of the plant-growth regulator **6-benzyladenine** in or on: avocado at 0.02 ppm; cucumber at 0.01 ppm; melon at 0.01 ppm; pepper at 0.01 ppm; squash at 0.01 ppm and tomato at 0.01 ppm;

Tolerances are established for residues of the fungicide **bixafen** in or on: beet, sugar, dried pulp at 1.0 ppm; cattle, fat at 0.08 ppm; cattle, meat by-products at 0.40 ppm; cattle, muscle at 0.08 ppm; goat, fat at 0.08 ppm; goat, meat by-products at 0.40 ppm; goat, muscle at 0.08 ppm; grain, aspirated grain fractions at 80 ppm; grain, cereal, forage, fodder and straw, group 16, except rice at 20 ppm; grain, cereal, group 15, except rice and grain sorghum at 0.40 ppm; horse, fat at 0.08 ppm; horse, meat by-products at 0.40 ppm; horse, muscle at 0.08 ppm; milk at 0.04 ppm; peanut at 0.01 ppm; peanut, hay at 8.0 ppm; radish, tops at 3.0 ppm; sheep, fat at 0.08 ppm; sheep, meat by-products at 0.40 ppm; sheep, muscle at 0.08 ppm; sorghum, grain, grain at 3.0 ppm; soybean, hulls at 0.15 ppm; soybean, seed at 0.04 ppm; vegetable, root, subgroup 1A at 0.30 ppm and vegetable, tuberous and corm, subgroup 1C at 0.01 ppm;

Tolerances are established for residues of the herbicide **clomazone** in or on: bean, asparagus, dry seed at 0.05 ppm; bean, broad, dry seed at 0.05 ppm; bean, broad, succulent seed at 0.05 ppm; bean, kidney, dry seed at 0.05 ppm; bean, lima, dry seed at 0.05 ppm; bean, lima, succulent seed at 0.05 ppm; bean, mung, dry seed at 0.05 ppm; bean, navy, dry seed at 0.05 ppm; bean, pinto, dry seed at 0.05; bean, wax, succulent seed at 0.05 ppm; broccoli, Chinese at 0.10 ppm; chickpea, dry seed at 0.05 ppm; cilantro, dried leaves at 0.30 ppm; cilantro, fresh leaves at 0.05 ppm; coriander, seed at 0.05 ppm; cottonseed, subgroup 20C at 0.05 ppm; cucumber (to expire June 5, 2019) at 0.1 ppm; dill, dried leaves at 0.40 ppm; dill, fresh leaves at 0.08 ppm; dill, oil at 0.07 ppm; dill, seed at 0.05 ppm; grain lupin, dry seed at 0.05 ppm; kohlrabi at 0.10 ppm; pumpkin (to expire June 5, 2019) at 0.1 ppm; rapeseed, subgroup 20A at 0.05 ppm; squash, summer (to expire June 5, 2019) at 0.1 ppm; squash, winter (to expire June 5, 2019) at 0.1 ppm; stalk and stem vegetable, subgroup 22A, except kohlrabi at 0.05 ppm; sweet lupin, dry seed at 0.05 ppm; vegetable, *Brassica*, head and stem, group 5-16 at 0.10 ppm; white lupin, dry seed at 0.05 ppm and white, seed lupin, dry seed at 0.05 ppm;



# US Tolerance Tracker

Tolerances are established for residues of the fungicide **mefenoxam** in or on: cacao, dried bean at 0.20 ppm; fruit, small, vine climbing, except grape, subgroup 13-07E at 0.10 ppm; wasabi, stem at 3.0 ppm and wasabi, tops at 6.0 ppm;

A tolerance is established for residues of the bactericide **oxytetracycline** in or on fruit, citrus, group 10-10 at 0.01 ppm; and

Tolerances are established for residues of the insecticide **tolfenpyrad** in or on: avocado at 1.5 ppm; berry, low growing, subgroup 13-07G, except cranberry and lowbush blueberry at 3.0 ppm; bushberry, subgroup 13-07B at 7.0 ppm; caneberry, subgroup 13-07A at 7.0 ppm; celtuce at 30 ppm; cottonseed, subgroup 20C at 0.70 ppm; fennel, Florence, fresh leaves and stalk at 30 ppm; fruit, small, vine climbing, except fuzzy kiwifruit, subgroup 13-07F at 2.0 ppm; leaf petiole vegetable, subgroup 22B at 30 ppm; leafy greens, subgroup 4-16A at 30 ppm; onion, bulb, subgroup 3-07A at 0.09 ppm; onion, green, subgroup 3-07B at 10 ppm; vegetable, fruiting, group 8-10 at 1.5 ppm; and vegetable, tuberous and corm, subgroup 1C at 0.01 ppm.

## Exemptions

An exemption from the requirement of a tolerance is established for residues of **calcium formate** when used as an inert ingredient (carrier) in pesticide formulations applied to growing crops only;

An exemption from the requirement of a tolerance is established for residues of **chlorate** in or on cantaloupe and tomato when resulting from the application of gaseous chlorine dioxide as a fungicide, bactericide and antimicrobial pesticide; and

An exemption from the requirement of a tolerance is established for residues of **1-propanesulfonic acid, 2-methyl-2-[(1-oxo-2-propen-1-yl)amino]-, homopolymer, sodium salt and 1-propanesulfonic acid, 2-methyl-2-[(1-oxo-2-propen-1-yl)amino]-, sodium salt (1:1), homopolymer**, when used as inert ingredients in pesticide chemical formulations.

## Petitions

A petition is filed to establish an exemption from the requirement of a tolerance for residues of the plant-incorporated protectant (PIP) **Bacillus thuringiensis fusion protein Cry1Ab/Cry2Aj** in or on: corn; corn, field; corn, sweet and corn, pop, when used as a PIP;

A petition is filed to establish a tolerance for residues of the insecticide **chlorantraniliprole** in or on palm, oil at 1.5 ppm;

A petition is filed to establish an exemption from the requirement of a tolerance for residues of the insecticide **Chrysodeixis includens nucleopolyhedrovirus isolate #460** in or on all agricultural commodities;

A petition is filed to establish an exemption from the requirement of a tolerance for residues of the herbicide **florpyrauxifen-benzyl** in or on all food commodities;



# US Tolerance Tracker

A petition is filed to establish import tolerances for residues of the fungicide **fluopyram** in or on: cranberry at 2.0 ppm; dry peas at 0.70 ppm and lentils at 0.70 ppm;

A petition is filed to: (1) establish tolerances for residues of **indaziflam** in or on fruit, tropical and subtropical, edible peel, group 23 at 0.01 ppm and fruit, tropical and subtropical, inedible peel, group 24 at 0.01 ppm and (2) remove the established tolerance for residues of **indaziflam** in or on fruit, tropical and subtropical, small fruit, edible peel, subgroup 23A at 0.01 ppm upon approval of the proposed tolerances noted above;

A petition is filed to establish tolerances for residues of the fungicide **inpyrfluxam** in or on: apple at 0.01 ppm; apple, wet pomace at 0.03 ppm; beet, sugar roots at 0.01 ppm; beet, sugar, molasses at 0.03 ppm; beet, sugar, dried pulp at 0.05 ppm; corn, field, forage at 0.02 ppm; corn, field, grain at 0.01 ppm; corn, field, stover at 0.02 ppm; corn, pop, grain at 0.01 ppm; corn, pop, stover at 0.02 ppm; corn, sweet, kernel plus cob with husks removed at 0.01 ppm; peanut at 0.01 ppm; peanut, hay at 2.0 ppm; rice, grain at 0.01 ppm; rice, bran at 0.02 ppm; rice, hulls at 0.05 ppm and soybean, seed at 0.01 ppm;

A petition is filed to establish an exemption from the requirement of a tolerance for residues of the plant activator and fungicide **ningnanmycin** in or on all food commodities;

A petition is filed to establish tolerances for residues of the herbicide **pendimethalin** in or on: leaf petiole vegetables, subgroup 22B at 0.15 ppm; monarda, oil at 1.0 ppm; monarda, fresh leaves at 0.20 ppm; rosemary, oil at 1.0 ppm and rosemary, fresh leaves at 0.20 ppm;

A petition is filed to: (1) establish tolerances for residues of **propamocarb** in or on: guava at 0.05 ppm; starfruit at 0.05 ppm; leafy greens subgroup 4-16A at 150 ppm; vegetable, tuberous and corm, subgroup 1C at 0.30 ppm and vegetable, fruiting, group 8-10 at 4.0 ppm; and (2) remove the established tolerances for residues of **propamocarb** in or on the following upon approval of the proposed tolerances noted above: lettuce, head at 50 ppm; lettuce, leaf at 90 ppm; potato at 0.30 ppm and vegetable, fruiting, group 8 at 2.0 ppm; and

A petition is filed to establish a tolerance for residues of the fungicide **pyriofenone** in or on fruiting vegetable, crop group 8-10 at 0.30 ppm.

## Upcoming Changes

All changes are effective immediately. Please refer to previous update summaries for upcoming changes.